. 0	,	
	٦,	
W	И	_

•	Application No.	Applicant(s)	4/0	
·				
Notice of Allowability	10/799,623 Examiner	HORNG ET AL.  Art Unit		
Troub of Amoundamity	Examiner	Artonit		
<u> </u>	Heba Elkassabgi	2834		
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Right of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in this apported or other appropriate communication GHTS. This application is subject to	plication.  If not included will be mailed in due course. TH		
1. This communication is responsive to <u>09/15/04</u> .				
2. The allowed claim(s) is/are <u>1 and 3-13</u> .				
3. The drawings filed on <u>15 September 2004</u> are accepted by	the Examiner.			
4. ☐ Acknowledgment is made of a claim for foreign priority un  a) ☐ All b) ☐ Some* c) ☒ None of the:  1. ☐ Certified copies of the priority documents have  2. ☐ Certified copies of the priority documents have  3. ☐ Copies of the certified copies of the priority documents have  International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:	been received. been received in Application No cuments have been received in this	national stage application from th		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements		
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give				
<ol> <li>CORRECTED DRAWINGS ( as "replacement sheets") must (a)  including changes required by the Notice of Draftspers 1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner's Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the</li> </ol>	on's Patent Drawing Review (PTO-Amendment / Comment or in the Comment or in the Comment on the drawir	Office action of action of the back) of		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/02 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendr			

### **DETAILED ACTION**

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Benjamin E. Urica (Reg. #33,805) on Monday, September 27,2004.

The application has been amended as follows:

Claim 3: Replace [2,], after the term "claim" and before the term "wherein", with the term - - 1 - -.

Claim 5: Replace [2,], after the term "claim" and before the term "wherein, with the term - - 1 - -.

### **Drawings**

1. The drawings were received on 09/15/2004. Figure #4 of the drawings are accepted by the examiner for replacement.

## Specification

1. The objection to the specification is withdrawn in light of applicant's amendment on 09/15/04.

# Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance:

Prior art does not disclose a casing for a heat-dissipating fan having a plurality for mounting portions provided between the annular wall and the base. In combination with the mounting portions being integrally formed on respective ribs for allowing the heat-dissipating fan to be fixed to an object.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Heba Elkassabgi whose telephone number is (571) 272-2023. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571) 272-2044. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/799,623 Page 4

- Art Unit: 2834

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Heba Y. Elkassabgi

BURTON S. MULLINS PRIMARY EXAMINER

United States Patent and Trademark Office Patent Examiner - AU 2834 Class 310- Electrical Generator/Motor Structure